



## Ethnomedicinal Study of *Nigella sativa*

Khan NT\*

Department of Biotechnology, Balochistan University of Information Technology Engineering and Management Sciences, Pakistan

**\*Corresponding author:** Dr. Khan NT, Department of Biotechnology, Faculty of Life Sciences and Informatics, Balochistan University of Information Technology Engineering and Management Sciences, Pakistan, Email: nidatabassumkhan@yahoo.com

**Received Date:** March 12, 2019; **Published Date:** March 26, 2019

### Abstract

*Nigella sativa* is also known as wild or shahi jeera and is mostly consumed as a flavoring spice in Indian and Meditarrian cooking. Besides it is also used in the preparation of ayurvedic medicine used for the treatment of gastrointestinal problems, vomiting, diabetes, dyspepsia, fever etc. This magical spice has many medicinal uses with no or less side effects. Its seeds possess antimicrobial, anti-inflammatory, anti-ageing and anti-spasmodic.

**Keywords:** Pyrazines; Thiamin; Niacin; Conjunctivitis; Eczema; Black Caraway; Dyspepsia; Flatulence.

### Introduction

*Nigella sativa* is known by numerous names such as Black cumin, Black Caraway, Kala Jira, Siyah Zeera etc discovered in the tomb of King Tut [1,2]. It is a persistent aromatic spice found in dry moderate regions of Himachal Pradesh, northwest Himalayas, Kashmir and Uttaranchal [3, 4].It is widely used in Middle-East Asian and Meditarrian cuisine [5].Today, it is cultivated all over the world.

### Cultivation of *Nigella sativa*

*Nigella sativa* or Black cumin seeds are curved shaped dark brownish in color with distinct pods [6].Traditionally, black cumin seeds has been used for the treatment of ailments such as nasal congestion, headache, asthma, diabetes, toothache, arthritis, conjunctivitis, conjunctivitis , abscesses and intestinal worms [7,8,9,10]. These seeds have acerbic and bitter taste [11]. The plant

is branched, tuberous with finely dissected leaves possessing white flowers [12].

### Storage of *Nigella sativa*

*Nigella sativa* (Black cumin) is readily available throughout the whole year in the local markets [13].Its seeds are also available in ground powder form [14].Release of a nice scent when black cumin seeds were squeezed between index and thumb fingers is an indication of its freshness and high quality [15].its seeds could easily be stored in a cool, dry airtight container for several months [16].However it should be used early otherwise will lose its characteristic aroma and flavor [17].

### Nutritional composition of *Nigella sativa*

*Nigella sativa* seeds contain the following nutrients which are as follows:

- a. Essential oils such as 4-isopropylbenzaldehyde, 2-methoxy-3-sec-butylpyrazine, pyrazines, 2-ethoxy-3-isopropylpyrazine 2-methoxy-3-methylpyrazine [18,19].
- b. Minerals such as calcium, iron, potassium, copper, selenium, zinc, manganese and magnesium [20, 21].
- c. Vitamins such as vitamin B-6, thiamin, niacin, riboflavin, vitamin E, vitamin A etc [22].
- d. Flavonoid phenolics such as lutein, carotenes and zeaxanthin [23].

### Health Benefits of *Nigella sativa*

- a. It stimulates appetite and improves digestion by increasing gastrointestinal enzymatic secretions. Therefore it is used in the formation of herbal stomachic tonic [24].
- b. It is also used to treat diabetes [25].
- c. It reduces uterus inflammation and excites menstruation in females [26]. In addition it appeases uterine muscles and relieves menstrual cramps [27].
- d. It is used in the treatment of skin related issues such as dryness, eczema and psoriasis [28].
- e. It improves prenatal health in pregnant women and provides high iron content for enhanced lactation [29].
- f. Black cumin aids proper digestion and reduces gastric and stomach ache [30].
- g. It is also known to reduce bad cholesterol LDL to maintain good cardiovascular health [31].
- h. Act as antioxidant to eliminate toxic compounds from the body such as removal of toxins from uterus after birth [32].
- i. Since *Nigella sativa* seeds are enriched source of fibres therefore promotes colon health and prevents ulcer formation [33].
- j. It also stops gum bleeding [34].
- k. In addition to the above mentioned benefits, Black cumin is used as a medicine in diarrhea, dyspepsia, flatulence, fevers, inflammations, cough, and all anorexia [35].

### Side Effects of Over Consumption of *Nigella sativa*

Very scarce information is available on the side effects of *Nigella sativa* if consumed in high amount in diet. However it is reported that over dose of *Nigella sativa* seeds might slow the process of blood clotting [36]. Thus making bleeding worse. But the exact mechanism is still under investigation. In addition to that it might cause hypoglycemia if taken in inappropriate amount [37]. it is also not recommended to take *Nigella sativa* seeds before or after surgery [38].

### Conclusion

Thus *Nigella sativa* holds potential medicinal importance and could be investigated further to reveal its clinical applications.

### References

1. Ali BH, Blunden G (2003) Pharmacological and toxicological properties of *Nigella sativa*. *Phytother Res* 17(4): 299-305.
2. Ahmad A, Husain A, Mujeeb M, Khan SA, Najmi AK et al. (2013) A review on therapeutic potential of *Nigella sativa*: A miracle herb. *Asian Pacific journal of tropical biomedicine* 3(5): 337-352.
3. Gilani AUH, Jabeen Q, Khan MAU (2004) A review of medicinal uses and pharmacological activities of *Nigella sativa*. *Pak J Biol Sci* 7(4): 441-51.
4. Paarakh PM (2010) *Nigella sativa* Linn.-A comprehensive review. *Indian J of Prod and Res* 1(4): 409-429.
5. Hajhashemi V, Ghannadi A, Jafarabadi H (2004) Black cumin seed essential oil, as a potent analgesic and antiinflammatory drug. *Phytotherapy Res* 18(3): 195-199.
6. Ghosheh OA, Houdi AA, Crooks PA (1999) High performance liquid chromatographic analysis of the pharmacologically active quinones and related compounds in the oil of the black seed (*Nigella sativa* L.). *J pharm biomed anal* 19(5): 757-762.
7. Randhawa MA, Alghamdi MS (2011) Anticancer activity of *Nigella sativa* (black seed)—a review. *The Am J Chin med* 39(06): 1075-1091.
8. Randhawa MA, Alghamdi MS (2011) Anticancer activity of *Nigella sativa* (black seed)—a review. *Am J Chin med* 39(06): 1075-1091.
9. Padhye S, Banerjee S, Ahmad A, Mohammad R, Sarkar FH (2008) From here to eternity—the secret of Pharaohs: Therapeutic potential of black cumin seeds and beyond. *Cancer ther* 6(b): 495.
10. Shafiq H, Ahmad A, Masud T, Kaleem M (2014) Cardio-protective and anti-cancer therapeutic potential of *Nigella sativa*. *Iran J Basic Med sci* 17(12): 967.
11. Ramadan MF (2007) Nutritional value, functional properties and nutraceutical applications of black

- cumin (*Nigella sativa* L.): an overview. International journal of food science & technology 42(10): 1208-1218.
12. D'Antuono LF, Moretti A, Lovato AF (2002) Seed yield, yield components, oil content and essential oil content and composition of *Nigella sativa* L. and *Nigella damascena* L. Industrial crops and products 15(1): 59-69.
  13. Kaleem M, Kirmani D, Asif M, Ahmed Q, Bano B (2006) Biochemical effects of *Nigella sativa* L seeds in diabetic rats. Indian J Exp Biol 44(9): 745-748.
  14. Benhaddou-Andaloussi A, Martineau LC, Vallerand D, Haddad Y, Afshar A et al. (2010) Multiple molecular targets underlie the antidiabetic effect of *Nigella sativa* seed extract in skeletal muscle, adipocyte and liver cells. Diabetes Obes Metab 12(2): 148-157.
  15. Al-Jassir MS (1992) Chemical composition and microflora of black cumin (*Nigella sativa* L.) seeds growing in Saudi Arabia. Food Chemistry 45(4): 239-242.
  16. Atta MB (2003) Some characteristics of nigella (*Nigella sativa* L.) seed cultivated in Egypt and its lipid profile. Food chemistry 83(1): 63-68.
  17. Ustun G, Kent L, Cekin N, Civelekoglu H (1990) Investigation of the technological properties of *Nigella sativa* (black cumin) seed oil. Journal of the American Oil Chemists' Society 67(12) 958-960.
  18. Benkaci-Ali F, Baaliouamer A, Meklati BY, Chemat F (2007) Chemical composition of seed essential oils from Algerian *Nigella sativa* extracted by microwave and hydrodistillation. Flavour and fragrance journal 22(2): 148-153.
  19. Nickavar B, Mojab F, Javidnia K, Amoli MAR (2003) Chemical composition of the fixed and volatile oils of *Nigella sativa* L. from Iran. Zeitschrift für Naturforschung C 58(9-10) 629-631.
  20. D'Antuono LF, Moretti A, Lovato AF (2002) Seed yield, yield components, oil content and essential oil content and composition of *Nigella sativa* L. and *Nigella damascena* L. Industrial crops and products 15(1): 59-69.
  21. Ansari TM, Ikram N, Najam-ul-Haq M, Fayyaz I, Fayyaz Q et al. (2004) Essential trace metal (Zinc, Manganese, levels in plants of medicinal importance. J. Copper and Iron) Biol. Sci 4(2): 95-99.
  22. Nergiz C, Otles S (1993) Chemical composition of *Nigella sativa* L. seeds. Food chemistry 48(3): 259-261.
  23. Ozcan M (2004) Mineral contents of some plants used as condiments in Turkey. Food chemistry 84(3): 437-440.
  24. GUler T, Dalkılıç B, Ertas ON, Ciftci M (2006) The effect of dietary black cumin seeds (*Nigella sativa* L.). Asian-Aust J Anim Sci 19: 425-430.
  25. Meral I, Yener Z, Kahraman T, Mert N (2001) Effect of *Nigella sativa* on glucose concentration, lipid peroxidation, anti-oxidant defence system and liver damage in experimentally-induced diabetic rabbits. J Vet Medicine A Pathol Clin Med 48(10): 593-599.
  26. Jadhav AN, Bhutani KK (2005) Ayurveda and gynecological disorders. J ethnopharmacol 97(1): 151-159.
  27. Abu-Irmaileh BE, Afifi FU (2003) Herbal medicine in Jordan with special emphasis on commonly used herbs. Journal of Ethnopharmacol 89(2-3): 193-197.
  28. Aljabre SHM, Randhawa MA, Akhtar N, Alakloby OM, Alqurashi AM et al. (2005) Antidermatophyte activity of ether extract of *Nigella sativa* and its active principle, thymoquinone. J Ethnopharmacol 101(1-3): 116-119.
  29. Ali MA, Sayeed MA, Alam MS, Yeasmin MS, Khan AM et al. (2012) Characteristics of oils and nutrient contents of *Nigella sativa* Linn. and *Trigonella foenum-graecum* seeds. Bulletin of the Chemical Society of Ethiopia 26(1).
  30. Rajkapoor B, Anandan R, Jayakar B (2002) Anti-ulcer effect of *Nigella sativa* Linn. against gastric ulcers in rats. Current Science 177-179.
  31. Ahmad S, Beg ZH (2013) Elucidation of mechanisms of actions of thymoquinone-enriched methanolic and volatile oil extracts from *Nigella sativa* against cardiovascular risk parameters in experimental hyperlipidemia. Lipids in health and disease 12(1): 86.
  32. Burits M, Bucar F (2000) Antioxidant activity of *Nigella sativa* essential oil. Phytother Res 14(5): 323-328.
  33. Romano M, Vitaglione P, Sellitto S, D'Argenio G (2012) Nutraceuticals for protection and healing of

- gastrointestinal mucosa. Curr med chem 19(1): 109-117.
34. AlAttas SA, Fatheya MZ, Turkistany SA (2016) *Nigella sativa* and its active constituent thymoquinone in oral health. Saudi medical journal 37(3): 235.
35. Hussain DA, Hussain MM (2016) *Nigella sativa* (black seed) is an effective herbal remedy for every disease except death-a Prophetic statement which modern scientists confirm unanimously: a review. Adv Med Plant Res 4(2): 27-57.
36. Zaoui A, Cherrah Y, Mahassini N, Alaoui K, Amarouch H et al. (2002) Acute and chronic toxicity of *Nigella sativa* fixed oil. Phytomedicine 9(1): 69-74.
37. Vahdati-Mashhadian N, Rakhshandeh H, Omidi A (2005) An investigation on LD50 and subacute hepatic toxicity of *Nigella sativa* seed extracts in mice. Pharmazie 60(7): 544-547.
38. Swamy SMK, Tan BKH (2000) Cytotoxic and immunopotentiating effects of ethanolic extract of *Nigella sativa* L. seeds. Journal of ethnopharmacology 70(1): 1-7.